

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Product: **Acronal® Xpress 7540**

Version: 1.0

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

1. Identification

Product identifier

Acronal® Xpress 7540

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

Recommended use: Raw material, for industrial use only

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Regional Business Unit Dispersions and

Resins Europe

Telephone: +49 621 60-90799

E-mail address: ed-psr@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Skin Corr./Irrit. 2

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Eye Dam./Irrit. 2A
 Skin Sens. 1
 Aquatic Chronic 3

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P333 + P311	If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P311	If eye irritation persists: Call a POISON CENTER or doctor/physician.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

According to UN GHS criteria

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Hazard determining component(s) for labelling: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Aqueous dispersion of a polymer based on: acrylic ester, methacrylic ester modified

Hazardous ingredients (GHS)

According to UN GHS criteria

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): <= 55 PPM

CAS Number: 55965-84-9

INDEX-Number: 613-167-00-5

Acute Tox. 3 (oral)

Acute Tox. 2 (Inhalation - mist)

Acute Tox. 2 (dermal)

Skin Corr./Irrit. 1B

Eye Dam./Irrit. 1

Skin Sens. 1A

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 10

M-factor chronic: 1

H310, H330, H301, H317, H314, H400, H410

Specific concentration limit:

Skin Corr./Irrit. 2: 0,06 - < 0,6 %

Skin Corr./Irrit. 1B: >= 0,6 %

Skin Sens. 1: >= 0,0015 %

Eye Dam./Irrit. 2: 0,06 - < 0,6 %

ammonia solution 25 wt% in water

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Content (W/W): >= 7 % - <= 9 %	Skin Corr./Irrit. 1B
CAS Number: 1336-21-6	Eye Dam./Irrit. 1
EC-Number: 215-647-6	STOT SE 3 (irr. to respiratory syst.)
REACH registration number: 01-2119488876-14	Aquatic Acute 1
INDEX-Number: 007-001-01-2	Aquatic Chronic 2
	H335, H314, H411, H400

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

No particular hazards known.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Advice for fire-fighters

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions

Do not release untreated into natural waters.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

For residues: Rinse away with water.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyester resin, glass reinforced (Palatal A410), Stainless steel 1.4301 (V2), Stainless steel 1.4401, enamelled, glass

Further information on storage conditions: Store protected against freezing. Avoid direct sunlight.

Protect from temperatures below: 5 °C

Protect from temperatures above: 60 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

7664-41-7: Ammonia, anhydrous

Exposure controls

Personal protective equipment

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid, dispersion	
Colour:	white	
Odour:	faint odour	
Odour threshold:		
pH value:	No data available. 10,5 - 11,5 (25 °C)	(DIN ISO 976)
<i>Information on: Water</i>		
Melting point:	0 °C	

<i>Information on: Water</i>		
Boiling point:	100 °C	

Flash point:		
	not applicable	
Evaporation rate:		
	No data available.	

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Flammability:	not flammable	
Lower explosion limit:	not applicable	
Upper explosion limit:	not applicable	
Ignition temperature:	not applicable	
<i>Information on: Water</i>		
Vapour pressure:	23,4 hPa (20 °C) <i>Literature data.</i>	

Density:	approx. 1,04 g/cm ³ (20 °C)	(ISO 2811-1)
Relative density:	No data available.	
Relative vapour density (air):	not applicable	
Solubility in water:	partly soluble (15 °C)	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Self ignition:	not self-igniting	
Thermal decomposition:	No decomposition if used correctly.	
Viscosity, dynamic:	200 - 800 mPa.s (23 °C)	(DIN EN ISO 2555 (RVT))
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

Other information

Miscibility with water:	miscible	
Solids content:	49 - 51 %	(DIN EN ISO 3251)
Other Information:		
Range of particle size:	< 0,1 µm - 10 µm	

10. Stability and Reactivity**Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

Conditions to avoid

Avoid extreme temperatures.

Incompatible materials

Substances to avoid:

No substances known that should be avoided.

Hazardous decomposition products

:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information**Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2.000 - 10.000 mg/kg

Irritation

Assessment of irritating effects:

Irritating to eyes and skin. The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

May cause sensitization by skin contact.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Reproductive toxicity

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

Developmental toxicity

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:

LC50 (96 h) > 10 - 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates:

EC50 (48 h) > 10 - 100 mg/l, Daphnia magna

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic plants:

EC50 (72 h), algae (other)

not determined

Microorganisms/Effect on activated sludge:

EC50 (0,5 h) > 10 - 100 mg/l, bacteria

The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC, part C) Easily eliminated from water.

The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Bioaccumulative potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

Other adverse effects

No data available.

Additional information

Adsorbable organically-bound halogen (AOX):

No data available.

Other ecotoxicological advice:

 BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Version: 1.0

Product: **Acronal® Xpress 7540**

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations
UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations
UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 10.04.2019

Product: **Acronal® Xpress 7540**

Version: 1.0

(ID no. 30735392/SDS_GEN_00/EN)

Date of print 21.04.2019

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
STOT SE	Specific target organ toxicity — single exposure
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.