

FoamStar[®] SI 2217

Product description Highly active defoamer for water-based systems and pigment concentrates

- Key benefits**
- suitable for solvent-free and binder-free pigment pastes, industrial wood coatings and pigmented UV-curable coats
 - prevents micro foam formation
 - label-free

Chemical nature Organically modified polysiloxanes

Properties

Physical form Clear to slightly cloudy colorless liquid

Technical data (no supply specification)	Density at 20 °C	X-230	~ 0.87 g/cm ³
	Refractive index	X-232	~ 1.42

Application

FoamStar[®] SI 2217 has excellent defoaming properties in aqueous paint systems without impairing gloss development. It gives superior results in solvent-free and binder-free pigment pastes containing a high proportion of dispersing agent, as well as in clear and pigmented industrial and UV-curable coating formulations. FoamStar[®] SI 2217 gives excellent rapid foam-knockdown performance as well as long-term stability. In addition, FoamStar[®] SI 2217 is label-free and contains no solvents.

Formulation guideline 0.05– 1.5 % calculated on total formulation is recommended for effective deaeration/defoaming.

In pigmented systems, FoamStar[®] SI 2217 should be added to the mill-base in order to ensure thorough mixing. Even in clear coat formulations, good mixing is necessary to achieve the desired effect.

Storage

FoamStar® SI 2217 should be stored in a cool dry place. Stir well after extended storage time.

Contacts worldwide

Asia
BASF East Asia Regional Headquarters Ltd
45/F, Jardine House
No. 1 Connaught Place
Central Hong Kong
China
formulation-additives-asia@basf.com

North America
BASF Corporation
11501 Steele Creek Road
Charlotte, NC 28273
USA
formulation-additives-nafta@basf.com

Europe
BASF SE
Formulation Additives
67056 Ludwigshafen
Germany
formulation-additives-europe@basf.com

South America
BASF S.A
Rochaverá - Crystal Tower
Av. das Nações Unidas, 14.171
Morumbi - São Paulo-SP
Brazil
formulation-additives-south-america@basf.com

Validity

This Technical Data Sheet is valid for all versions of the FoamStar® SI 2217.

Safety

When handling this product, please comply with the advice and information given in the safety data sheet and observe protective and workplace hygiene measures adequate for handling chemicals.

Note

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our product to ensure that any proprietary rights and existing laws and legislation are observed.

® = Registered trademark

™ = Trademark of the BASF Group, unless otherwise noted

www.basf.com/formulation-additives