

## Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

## 1. Identification

**Product identifier** 

## Acronal® NX 3587 ap

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only Recommended use: Raw material, for industrial use only

## Details of the supplier of the safety data sheet

<u>Company:</u> BASF SE 67056 Ludwigshafen GERMANY Regional Business Unit Dispersions and Resins Europe

Telephone: +49 621 60-90799 E-mail address: ed-psr@basf.com

## **Emergency telephone number**

International emergency number: Telephone: +49 180 2273-112

## 2. Hazards Identification

## Classification of the substance or mixture

According to UN GHS criteria

Skin Sens. 1

Page: 2/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

For the classifications not written out in full in this section the full text can be found in section 16.

## Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Statement:	
H317	May cause an allergic skin reaction.

Precautionary Statemen	its (Prevention):	
P280	Wear protective gloves.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
Precautionary Statements (Response):		
P333 + P311	If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician.	
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.	
P362 + P364	Take off contaminated clothing and wash it before reuse.	
Precautionary Statements (Disposal):		
P501	Dispose of contents/container to hazardous or special waste collection point.	

According to UN GHS criteria

Hazard determining component(s) for labelling: MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

## Other hazards

#### According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Page: 3/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN) Date of print 17.03.2019

## 3. Composition/Information on Ingredients

## Substances

Not applicable

## **Mixtures**

## Chemical nature

Aqueous dispersion of a polymer based on: acrylic ester, methacrylic ester

Hazardous ingredients (GHS) According to UN GHS criteria

> C C

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1)

Content (W/W): <= 70 PPM	Acute Tox. 3 (oral)
CAS Number: 55965-84-9	Acute Tox. 2 (Inhalation - mist)
NDEX-Number: 613-167-00-5	Acute Tox. 2 (dermal)
	Skin Corr./Irrit. 1B
	Eye Dam./Irrit. 1
	Skin Sens. 1A
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 1
	H310, H330, H301, H317, H314, H400, H410
	Specific concentration limit:
	Skin Sens. 1: >= 0,0015 %
	Skin Corr./Irrit. 2: 0,06 - < 0,6 %
	Eye Dam./Irrit. 2: 0,06 - < 0,6 %
	Skin Corr./Irrit. 1B: >= 0,6 %
	-,

Adipohydrazide

Content (W/W): >= 0,1 % - < 1 % CAS Number: 1071-93-8 EC-Number: 213-999-5 Skin Sens. 1 Aquatic Acute 2 Aquatic Chronic 2 H317, H401, H411

For the classifications not written out in full in this section the full text can be found in section 16.

Page: 4/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN) Date of print 17.03.2019

## 4. First-Aid Measures

## Description of first aid measures

Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

Hazards: No hazards anticipated.

**Indication of any immediate medical attention and special treatment needed** Treatment: Symptomatic treatment (decontamination, vital functions).

## 5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

## Special hazards arising from the substance or mixture

No particular hazards known.

## Advice for fire-fighters

Further information: Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

## 6. Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures** Use personal protective clothing. Avoid contact with skin and eyes.

Page: 5/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

#### **Environmental precautions**

Do not release untreated into natural waters.

## Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations. For large amounts: Pump off product. For residues: Rinse away with water.

#### **Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

## Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyester resin, glass reinforced (Palatal A410), Stainless steel 1.4301 (V2), Stainless steel 1.4401, enamelled, glass

Further information on storage conditions: Store protected against freezing. Avoid direct sunlight.

#### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

## **Control parameters**

Components with occupational exposure limits

55965-84-9: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

#### Exposure controls

Personal protective equipment

Page: 6/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

## 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	liquid, dispersion white faint odour	
pH value:	No data available. 7,0 - 8,0 (25 °C)	(DIN ISO 976)
Information on: Water Melting point:	0 °C	
Information on: Water Boiling point:	 100 °C	
Flash point:		
Evaporation rate:	not applicable	
	No data available.	
Flammability: Lower explosion limit:	not flammable	
Upper explosion limit:	not applicable	
	not applicable	
Information on: Water Vapour pressure:	23,4 hPa (20 °C) Literature data.	
Density:	 approx. 1,04 g/cm3 (20 °C)	(ISO 2811-1)

Page: 7/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN) Date of print 17.03.2019

Relative density: No data available. Relative vapour density (air): not applicable partly soluble Solubility in water: (15 °C) Partitioning coefficient n-octanol/water (log Kow): not applicable Self ignition: not self-igniting Thermal decomposition: No decomposition if used correctly. Viscosity, dynamic: 50 - 500 mPa.s (DIN EN ISO 2555 (RVT)) (23 °C) not explosive Explosion hazard: Fire promoting properties: not fire-propagating Other information Miscibility with water: miscible

Solids content: 54 - 56 % Other Information: Range of particle size: < 0,1 µm - 10 µm (DIN EN ISO 3251)

## **10. Stability and Reactivity**

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

## Conditions to avoid

Avoid extreme temperatures.

## Incompatible materials

Substances to avoid: No substances known that should be avoided.

## Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

Page: 8/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN) Date of print 17.03.2019

## **11. Toxicological Information**

## Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: LD50 rat (oral): > 2.000 - 10.000 mg/kg

#### Irritation

Assessment of irritating effects: If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization: May cause sensitization by skin contact.

#### Germ cell mutagenicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: Not expected to cause reproductive toxicity (based on composition).

#### Developmental toxicity

Page: 9/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

## **12. Ecological Information**

## Toxicity

Toxicity to fish: LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Aquatic invertebrates: EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants: EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201) Nominal concentration.

Microorganisms/Effect on activated sludge: EC20 (0,5 h) > 100 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

## Persistence and degradability

Assessment biodegradation and elimination (H2O):

Page: 10/13

Version: 1.2

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

### **Bioaccumulative potential**

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

### Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

### Other adverse effects

No data available.

## Additional information

Adsorbable organically-bound halogen (AOX): No data available.

Other ecotoxicological advice: Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

## **13. Disposal Considerations**

## Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage. Observe national and local legal requirements.

## 14. Transport Information

Land transport

Page: 11/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN) Date of print 17.03.2019

## ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

### RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

#### Inland waterway transport ADN

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special procautions for	Not applicable Not applicable
Special precautions for user:	None known
user.	

<u>Transport in inland waterway vessel</u> Not evaluated

## Sea transport

#### IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

Page: 12/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

user

## Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

### **UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

## Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## **Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

### Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Page: 13/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 09.06.2017 Product: Acronal® NX 3587 ap

Version: 1.2

(ID no. 30653260/SDS\_GEN\_00/EN)

Date of print 17.03.2019

## 15. Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## **16. Other Information**

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:		
Skin Sens.	Skin sensitization	
Acute Tox.	Acute toxicity	
Skin Corr./Irrit.	Skin corrosion/irritation	
Eye Dam./Irrit.	Serious eye damage/eye irritation	
Aquatic Acute	Hazardous to the aquatic environment - acute	
Aquatic Chronic	Hazardous to the aquatic environment - chronic	
H310	Fatal in contact with skin.	
H330	Fatal if inhaled.	
H301	Toxic if swallowed.	
H317	May cause an allergic skin reaction.	
H314	Causes severe skin burns and eye damage.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H401	Toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.