

Looking for a floor finish that holds up to heavy foot traffic?

We've got you covered.

The ACROFLOR® product line is your solution for glossy, durable floor finishes that are easy to maintain. Whether your customers coat floors in schools, retail, healthcare, or office space, we have a polymer offering to meet their performance needs.



Floorcare Portfolio: Complete offering for floorcare formulations

ALKALI SOLUBLE RESINS

ACROFLOR® 10

Small particle size polyethylene wax dispersion

- Slip resistance modification
- Black heel mark resistance
- Durability

ACROFLOR® 100/110

High Tg resin flake / resin solution

- Aids in removability
- Increases gloss

ADDITIVES

HYDROPALAT® WE 3225

Silicone surfactant

- Fluorochemical alternative
- Non-slip based wetting agent
- Enhances gloss of coatings
- Antifoam performance

HYDROPALAT® WE 3229

Silicone surfactant

- Flourochemical alternative
- Non-slip based wetting agent
- Improved surface tension reduction
- Antifoam performance
- 100% solids content

Polymers for Floorcare

ACROFLOR® 1000

Choose it for:

- Resilient and non-resilient floor substrates
- Dri-brite applications

Benefits:

- High gloss retention for less effort and maintenance
- Extended maintenance cycle
- · Easy to clean for floors requiring long lasting shine

ACROFLOR® 1500

Choose it for:

- Clear wet-film clarity
- Low to mid-maintenance floors
- Excellent cost to performance benefit

Benefits:

- Outstanding gloss build on application
- Broad target end use application
- Easy to apply

Detergent Res. Chemical Res. ACROFLOR 1000 --- Competitor --- Com Finish

Wet-Film Clarity



ACROFLOR® 1500 Competitive standard for wet-film clarity

ACROFLOR® 3000

Choose it for:

- Wide formulation latitude
- Improved chemical resistance

Benefits:

- Excellent burnishability for maximum repairability
- Capable to meet high to low maintenance needs
- Alternate crosslinking technology

ACROFLOR ® 3000 SPF Repairability 85 80 97 75 65 60 1nitial Gloss Day ACROFLOR 3000 — Commercial UHS System

Floorcare Portfolio: Total demands of floorcare formulations



	Low	High
ACROFLOR® 10 / 100 / 110	+++++	
ACROFLOR® 1000 / 1500	+++	
ACROFLOR® 3000	+++++	
HYDROPALAT® WE 3225 / 3229		

Formulation Latitude for All Maintenance Levels



About BASF's Dispersions and Resins Business

The Dispersions & Resins business of BASF develops, produces, and markets a range of high-quality resins, additives, colorants, and polymer dispersions worldwide. These raw materials are used in formulations for coatings and paints, printing and packaging products, construction coatings, adhesives, cellulosics and composites, and paper manufacturing. With a comprehensive product portfolio and extensive knowledge of the industries we serve, our customers benefit from innovative and sustainable solutions to help them advance their formulations through chemistry. For further information about the Dispersions & Resins business in North America, please visit http://www.basf.us/dpsolutions.

About BASF

At BASF, we create chemistry for a sustainable future. We combine economic success with environmental protection and social responsibility. Around 111.000 employees in the BASF Group contribute to the success of our customers in nearly all sectors and almost every country in the world. Our portfolio comprises six segments: Chemicals, Materials, Industrial Solutions, Surface Technologies, Nutrition & Care and Agricultural Solutions. BASF generated sales of €87.3 billion in 2022. BASF shares are traded on the stock exchange in Frankfurt (BAS) and as American Depositary Receipts (BASFY) in the United States Further information at www.basf.com.

Contacts

Please contact our technical service department for more help on formulating with products from the ACROFLOR product line.

Asia Europe, Africa, West Asia North America South America China Netherlands USA Brazil

 Phone: +852 2731-0111
 Phone: +31 513 619-619
 Phone: +1 800 231-7868
 Phone: +55 11 2039-2300

 dispersions-pigments-asia@basf.com
 resins@basf.com
 www.basf.us/dpsolutions
 packaging-sa@basf.com

While the descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, they are provided for guidance only. Because many factors may affect processing or application/use, BASF recommends that the reader make tests to determine the suitability of a product for a particular purpose prior to use. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESCRIPTIONS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. In no case shall the descriptions, information, data or designs provided be considered a part of BASF's terms and conditions of sale. Further, the descriptions, designs, data, and information furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for the descriptions, designs, data or information given or results obtained all such being given and accepted at the reader's risk.

ACROFLOR®, HYDROPALAT® = registered trademarks of BASF Group.